



Vulcan Code 1070  
rec 4-3-2018  
0-0-0-D

**SAFETY DATA SHEET  
STAN-PLAS 1200**

### 1. Identification

**Product identifier** STAN-PLAS 1200  
**Other means of identification** Not available.  
**Recommended use** Process Oil  
**Recommended restrictions** None known.  
**Manufacturer/Importer/Supplier/Distributor information**

**Manufactured for and supplied by:** Harwick Standard Distribution Corporation  
60 S. Seiberling Street  
P.O. Box 9360  
Akron, OH 44305 USA  
**Telephone:** (330) 798-9300  
**Website:** www.harwickstandard.com

### 2. Hazard(s) identification

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**Environmental hazards** Not classified.  
**OSHA defined hazards** Not classified.

#### Label elements

**Hazard symbol** None.  
**Signal word** Not applicable.  
**Hazard statement** Not applicable.  
**Prevention** Not applicable.  
**Response** Not applicable.  
**Storage** Not applicable.  
**Disposal** Not applicable.

**Hazard(s) not otherwise classified (HNOC)** See section 11 of the SDS for additional information on health hazards.

**Supplemental information** None.

### 3. Composition/information on ingredients

#### Substances

| Chemical name  | Common name and synonyms | CAS number | %   |
|--|--------------------------|------------|-----|
| DISTILLATES (PETROLEUM),<br>HYDROTREATED HEAVY<br>NAPHTHENIC |                          | 64742-52-5 | 100 |

**Composition comments** A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C20 through C50 and produces finished oil with a viscosity near 1250 SUS at 100°F.

### 4. First-aid measures

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. IF exposed or concerned: Get medical advice/attention.  
**Skin contact** Wash contact areas with soap and water. Remove contaminated clothing. Launder contaminated clothing before reuse. If skin irritation or an allergic skin reaction develops, get medical attention.  
**Eye contact** Flush thoroughly with water. If irritation occurs, get medical assistance.

|   |  |
|---|--|
| <b>Ingestion</b>  | Do NOT induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Call a poison control center immediately. |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Defatting of the skin.   |
| <b>Indication of immediate medical attention and special treatment needed</b> | Treat symptomatically.   |
| <b>General information</b>  | Contact physician if discomfort continues.   |

## 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Halon. Dry chemicals. Foam. Carbon dioxide (CO2). Water spray or fog. Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | No unusual fire or explosion hazards noted.  |
| <b>Special protective equipment and precautions for firefighters</b> | Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask.   |
| <b>Fire-fighting equipment/instructions</b>                          | Cool containers exposed to flames with water until well after the fire is out. Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Use pressurized air mask if product is involved in a fire. |
| <b>General fire hazards</b>  | No unusual fire or explosion hazards noted. Flammability Class: Combustible IIIB   |

## 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation.   |
| <b>Methods and materials for containment and cleaning up</b>               | Large Spills: ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth or absorbent material then place into containers. Following product recovery, flush area with water.<br><br>Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.<br><br>Never return spills in original containers for re-use. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer, basements or confined areas. Avoid discharge to the aquatic environment. Contact local authorities in case of spillage to drain/aquatic environment. Avoid discharge into drains, water courses or onto the ground. If this material is spilled into navigable waters and creates a visible sheen, it is reportable to the National Response Center.   |

## 7. Handling and storage

|   |   |
|---|---|
| <b>Precautions for safe handling</b>                                | Do not breathe dust/fume/gas/mist/vapors/spray. Wash hands after handling and before eating. Do not get this material in contact with eyes. Avoid contact with skin. Avoid prolonged exposure. All handling to take place in well-ventilated area. Shower after work. Remove and wash contaminated clothing promptly. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Keep away from heat, sparks and open flame. Store in a well-ventilated place.   |

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Material       | Type | Value   | Form  |
|----------------|------|---------|-------|
| STAN-PLAS 1200 | PEL  | 5 mg/m3 | Mist. |

**US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

| Components  | Type | Value   | Form  |
|---|------|---------|-------|
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | PEL  | 5 mg/m3 | Mist. |

**US. ACGIH Threshold Limit Values**

| Material  | Type        | Value        | Form                |
|---|-------------|--------------|---------------------|
| STAN-PLAS 1200  | TWA         | 5 mg/m3      | Inhalable fraction. |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b>         |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | TWA         | 5 mg/m3      | Inhalable fraction. |

**US. NIOSH: Pocket Guide to Chemical Hazards**

| Material  | Type        | Value        | Form        |
|---|-------------|--------------|-------------|
| STAN-PLAS 1200  | STEL        | 10 mg/m3     | Mist.       |
|   | TWA         | 5 mg/m3      | Mist.       |
| <b>Components</b>   | <b>Type</b> | <b>Value</b> | <b>Form</b> |
| DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) | STEL        | 10 mg/m3     | Mist.       |
|   | TWA         | 5 mg/m3      | Mist.       |

**Biological limit values**

No biological exposure limits noted for the ingredient(s).

**Appropriate engineering controls**

Adequate ventilation should be provided whenever the material is heated or mists are generated. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Goggles/face shield are recommended.

**Hand protection**

Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style gloves.

**Other**

Chemical/oil resistant clothing is recommended. Launder contaminated clothing before reuse.

**Respiratory protection**

Under normal conditions, respirator is not normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

**Thermal hazards**

Not available.

**General hygiene considerations**

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned.

**9. Physical and chemical properties**

**Appearance**

Clear & bright

**Physical state**

Liquid.

**Form**

Liquid.

**Color**

Amber

**Odor**

Mild Petroleum Odor

**Odor threshold**

Not available.

**pH**

Not available.

**Melting point/freezing point**

< 25 °F (< -3.89 °C) ASTM D 5949/ ISO 3016

**Initial boiling point and boiling range**

> 650 °F (> 343.33 °C) ASTM D 2887

|   |  |
|---|--|
| <b>Flash point</b>                                  | >= 400.0 °F (>= 204.4 °C) Cleveland Open Cup ASTM D 92/ ISO 2719/ IP36 |
| <b>Evaporation rate</b>                             | Not available.   |
| <b>Flammability (solid, gas)</b>                    | Not available.   |
| <b>Upper/lower flammability or explosive limits</b> |  |
| <b>Flammability limit - lower (%)</b>               | Not available.   |
| <b>Flammability limit - upper (%)</b>               | Not available.   |
| <b>Explosive limit - lower (%)</b>                  | Not available.   |
| <b>Explosive limit - upper (%)</b>                  | Not available.   |
| <b>Vapor pressure</b>                               | Not available.   |
| <b>Vapor density</b>                                | > 5  |
| <b>Relative density</b>                             | 0.92 (60 °F (15.56 °C) ASTM D 4052/ ISO 12185)                         |
| <b>Solubility(ies)</b>                              |  |
| <b>Solubility (water)</b>                           | Insoluble  |
| <b>Partition coefficient (n-octanol/water)</b>      | Not established.   |
| <b>Auto-ignition temperature</b>                    | > 600 °F (> 315.56 °C) ASTM E 659                                      |
| <b>Decomposition temperature</b>                    | Not available.   |
| <b>Viscosity</b>                                    | 230 cSt (104 °F (40 °C) ASTM D 445/ ISO 3014)                          |

## 10. Stability and reactivity

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.                    |
| <b>Chemical stability</b>                 | Stable.  |
| <b>Possibility of hazardous reactions</b> | Hazardous polymerization does not occur.   |
| <b>Conditions to avoid</b>                | Heat, flames and sparks. Avoid temperatures exceeding the flash point.   |
| <b>Incompatible materials</b>             | Strong oxidizing agents.   |
| <b>Hazardous decomposition products</b>   | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |

## 11. Toxicological information

### Information on likely routes of exposure

|                     |   |
|---------------------|---|
| <b>Ingestion</b>    | May cause gastrointestinal discomfort if swallowed. Do not induce vomiting. Vomiting may increase risk of product aspiration. |
| <b>Inhalation</b>   | May be harmful if inhaled. However, this product does not currently meet the criteria for classification.                     |
| <b>Skin contact</b> | Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis                                |
| <b>Eye contact</b>  | May be irritating to eyes.  |

**Symptoms related to the physical, chemical and toxicological characteristics** Not available.

### Information on toxicological effects

|  |   |
|--|---|
| <b>Acute toxicity</b>                    | Based on available data, the classification criteria are not met. |
| <b>Skin corrosion/irritation</b>         | Not expected to be hazardous by OSHA criteria. Not classified.    |
| <b>Serious eye damage/eye irritation</b> | Not classified. May be irritating to eyes.                        |

### Respiratory or skin sensitization

|                                  |  |
|----------------------------------|--|
| <b>Respiratory sensitization</b> | Not classified.  |
| <b>Skin sensitization</b>        | Not classified. Acts as a defatting agent on skin. May cause cracking of skin, and eczema. |

**Germ cell mutagenicity** Non-mutagenic based on Modified Ames Assay.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Meets EU requirement of less than 3% (w/w) DMSO extract for total polycyclic aromatic compound (PAC) using IP 346.

## US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

|   |  |
|---|--|
| <b>Reproductive toxicity</b>                              | Contains no ingredient listed as toxic to reproduction                               |
| <b>Specific target organ toxicity - single exposure</b>   | Not classified. May cause irritation to the respiratory system.                      |
| <b>Specific target organ toxicity - repeated exposure</b> | Skin.  |
| <b>Aspiration hazard</b>                                  | Not applicable.  |
| <b>Chronic effects</b>                                    | Prolonged or repeated contact may cause drying, cracking, or irritation of the skin. |
| <b>Further information</b>                                | Not assigned.  |

## 12. Ecological information

|                                      |   |
|--------------------------------------|---|
| <b>Ecotoxicity</b>                   | Not expected to be harmful to aquatic organisms.  |
| <b>Persistence and degradability</b> | Not inherently biodegradable.   |
| <b>Bioaccumulative potential</b>     | Bioaccumulation is unlikely to be significant because of the low water solubility of this product.  |
| <b>Mobility in soil</b>              | Not available.  |
| <b>Other adverse effects</b>         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |

## 13. Disposal considerations

|  |   |
|--|---|
| <b>Disposal instructions</b>                 | When this product as supplied is to be discarded as waste, it does not meet the definition of a RCRA waste under 40 CFR 261. Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. |
| <b>Hazardous waste code</b>                  | Not applicable.   |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Avoid discharge into water courses or onto the ground.   |
| <b>Contaminated packaging</b>                | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Offer rinsed packaging material to local recycling facilities.   |

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

## 15. Regulatory information

**US federal regulations** This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

CERCLA/SARA Hazardous Substances - Not applicable.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312** No**Hazardous chemical****SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act** Not regulated.**(SDWA)****US state regulations**

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US. Massachusetts RTK - Substance List**

Not regulated.

**US. New Jersey Worker and Community Right-to-Know Act**

Not regulated.

**US. Pennsylvania RTK - Hazardous Substances**

Not regulated.

**US. Rhode Island RTK**

Not regulated.

**US. California Proposition 65**

Not Listed.

**International Inventories**

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | Yes                    |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                    |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | Yes                    |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

**16. Other information, including date of preparation or last revision****Issue date** 05-29-2015**Version #** 01**Revision Information** GHS Format**Disclaimer**

Disclaimer: The information and recommendations contained herein are based upon data that are believed to be accurate and reliable. Application and performance information are provided only as a guide, since the conditions of use are beyond the control of Harwick Standard Distribution Corporation. Consequently, Harwick Standard makes no warranties, express or implied, with respect to the goods or use of the goods or the performance of the goods and makes no warranties of fitness for a particular purpose or merchantability. Buyer acknowledges that Harwick Standard will not be liable for consequential, incidental, direct or special damages arising, directly or indirectly, in respect to such goods or the use or failure thereof, whether based on breach of warranty, negligence, strict liability in tort or otherwise.